U.S. DEPARTMENT OF COMMERCE - Patent and Trademark Office Application No. 21346, 063

NOTICE OF DRAFTSPERSON'S PATENT DRAWING RÉVIEW

Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographic clone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographs not properly mounted (mu	The second of th	. :	
Black ink. Color Color drawings are not acceptable until petition is grained. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs. 37 CFR 1.84 (b) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Frasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (tothin). Fig(s) Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Frasures, alterations, overwritings, interlineations, folds, copy machine marks not acceptable (bothin). Fig(s) Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Fig(DRAWINGS. 37 CFR 1.84(a): Acceptable categories of drawings:	 . 8.	ARRANGEMENT OF VIEWS. 37 CFR 1.84(i)
becomes the right side, except for graphs. Fig(s) PHOTOGRAPHS. 37 CFR 1.84 (b) 1 full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Proor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Mystr, velum paper is not acceptable foo thin). Fig(s) 21.0 cm by 27.9 cm (Dif size A4) 21.6 cm by 27.9 cm (Dif size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) Ald drawing sheets not as acceptable size. Sheet(s) Drawings sheets not as acceptable size. Sheet(s) Drawings sheets not as acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Ramings not acceptable. Fig(s) Province of the figure of the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Prayings here shore the same size. Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Fig(s) Top (T) Left (L) Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Fig(s) Fig(s) Lead lines pale a content of the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) Numbers, letters and reference characters must be at leas 3.2 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Fig	Black ink. Color.		Words do not appear on a horizontal, left-to-right fashion
Pencil and non black ink not permitted. Fig(s) If full-tone set is required. Fig(s) If full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Photographic double-weight paper). Fig(s) Proof quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Z1.0 cm by 27.9 cm (Dix ize A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) All drawing sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 84 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE. 81 (2) cm mylar to the same size. Sheet(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds it reproduced in size to two-thirds in the produced in size to two-thirds it reproduced in size to two-thirds in the same data for clean,			
PHOTOGRAPHS. 37 CFR 1.84 (b) I full-tone set is required. Fig(s) Photographs not properly mounted (must use brystol board or photographic double-weight paper). Fig(s) Proor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) 21.0 cm by 2.7 cm (DIN size A4) 21.6 cm by 2.7 cm (DIN size A4) 21.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) WIEWN, 37 CFR 1.84(f)) Employed to the same size. Fig(s) Fig(s		•	
I full-tone set is required. Fig(s) Photographic double-weight paper). Fig(s) Photographic double-weight paper). Fig(s) TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (B1/s 21 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MRGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81/2 x 11 Margins not acceptable. Fig(s) Top (7) Left (L) Right (R) WIEWS. 37 CFR 1.84(p) WIEWS. 37 CFR 1.84(p) Bottom (B) WIEWS. 37 CFR 1.84(p) WIEWS. 37 CFR 1.84(p) Fig(s) Size splay and blotted separately or properly. Fig(s) Fig(s) VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Social black areas pale. Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Numbers, letters and touristic fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(1) Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Numbers, letters and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) Numbers, letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Numbers and reference characters not an accep		. 9.	
Photographs not properly mounted (must use brystol board or photographs double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Sizze OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (Olln size A4) 21.6 cm by 27.9 cm (Olln size A4) 21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A8 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE			
photographic double-weight paper). Fig(s) Foor quality (half-tone). Fig(s) TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (81 f2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Margins. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81 f2 x 11 Margins not acceptable. Fig(s) Top (f) ReMINDER: Specification may require revision to correspond to drawing changes. Views. 37 CFR 1.84(h) Paper not flexible, with the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or property. Fig(s) Enlarged view not labeled separately or property. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used. 37 CFR 1.84(p) Lines, numbers & letters and unable, and black (poor line quality). Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Solid black shading not permitted. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters must be at leas 32 cm (I/8 inch) in height. 37 CFR 1.84(p)(2) Figs Size 81 (2x x 11 Numbers and reference characters must be at leas 32 cm (I/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Lines, numbers & letters and teleters on to prince defined, clean, darking not permitted. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at leas 32 cm (I/8 in			
Foor quality (half-tone). Fig(s) Paper not flexible, strong, white, and durable. Fig(s) Ferasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, vetum paper is not accepted. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not not same same size. Sheet(s) Drawings sheets not the same size. Sheet(s) Drawings sheets not the same size. Sheet(s) MARGINS. 37 CFR 1.84(g): Acceptable sizes: ITOp 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 81 2 x 11 Margins not acceptable. Fig(s) Top (T) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Enalged view not labeled separately or properly. Fig(s) Enalged view not labeled separately or properly. Fig(s) Enalged view not labeled separately or properly. Fig(s) SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) In CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(f) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) ShadDING. 37 CFR 1.84(n) Shade lines, pale, rough and blurred. Fig(s) Numbers, and preference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not of the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers of lexity of the same size. Numbers letters not uniformly thick and well defined, clean, durable, left fig(s) Numbers and reference characters not plain and legible. Fig(s)			•
TYPE OF PAPER. 37 CFR 1.84(c) Paper not flexible, strong, white, and durable. Fig(s) Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B IV 2x 11 inches) All drawing sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Size of PAPER. 37 CFR 1.84(c) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line quality). Fig(s) Solid black shading not black (poor line quality). Fig(s) Solid black shading not black (poor line quality). Fig(s) Solid black shading not black (poor line quality). Fig(s) Solid black shading not black (poor line quality). Fig(s) Solid black shading not black (poor line quality). Fig(s) NUMBERS, LettTeRS. & REFERENCE CHARACTERS. 37 CFR 1.84(m) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not price of fig(s) Numbers and reference characters not plain and legible. Fig(s) Solid black shading not used. 37 CFR 1.84(p)(1) Fig(s) Lead lines probe and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Solid black shading not used. 37 CFR 1.84(p)(3) Fig(s) Numbers and reference charac		10.	
Erasures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) Solid black areas pale. Fig(s) So			
Ersaures, alterations, overwritings, interlineations, folds, copy machine marks not accepted. Fig(s) folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (3 I/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 I/2 x 11 Margins not acceptable. Fig(s) Top 0.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 I/2 x 11 Margins not acceptable. Fig(s) Top 7 Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(p) VIEWS. 37 CFR 1.84(p) VIEWS. 37 CFR 1.84(p) VIEWS. 37 CFR 1.84(p)(2) Fig(s) Brackets needed to show figure as one entity. Fig(s)			
folds, copy machine marks not accepted. Fig(s) Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(p) VIEWS. 37 CFR 1.84(p)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) MID Acceptable Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Solid black areas pale. Solid black areas pale. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Numbers, and,reference characters not prime the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Solid black areas pale. Fig(s) Numbers, letters and reference characters not prime the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Solid black areas pale. Fig(s) Numbers, letters and reference characters not prime the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Solid black areas pale. Fig(s) Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers, letters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Solid black areas pale. Fig(s) Numbers, letters, & REFER			
Mylar, velum paper is not acceptable (too thin). Fig(s) SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 27.9 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(p) VIEWS. 37 CFR 1.84(p) Brackets needed to show figure as one entity. Fig(s) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Solid black areas pale. Fig(s) Shade lines, pale, rough and blurred. Fig(s) Shade lines, pale, rough and blurred. Fig(s) NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, lefters and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers, lefters and referen			
Solid black shading not permitted. Fig(s) Shade lines, pale, rough and butterd. Fig(s) Shade lines, pale, rough and legible. Fig(s) Shade lines, pale, rough and retreated characters not pale pale. Fig(s) Shade lines, pale, rough and retreated characters not pale pale. Fig(s) Shade lines, pale, rough and retreated characters not oriented in		11.	
SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 27.9 cm (B 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) WIEWS. 37 CFR 1.84(h) Bottom (B) Views. 37 CFR 1.84(h)(2) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 21. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and legible. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) English alphabet not used. 37 CFR 1.84(p)(3) English alphabet n			
21.0 cm by 29.7 cm (DIN size A4) 21.6 cm by 29.7 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) VIEWS. 37 CFR 1.84(h) VIEWS. 37 CFR 1.84(h) VIEWS and labeled separately or properly. Fig(s) Partial view on labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) All drawing sheets not the same size. 37 CFR 1.84(p) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Size is 1/2 x 11 Numbers, letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines. sinssing. Fig(s) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated dated To DESIGN DRAWINGS. 37 CFR 1.54(w) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)			
21.6 cm by 27.9 cm (8 1/2 x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) VIEWS. 37 CFR 1.84(h) Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) English alphabet not used. 37 CFR 1.84(p)(1) Fig(s) Lead lines missing. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Views not labeled separately or properly. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers, letters and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Views not labeled separately or properly. Fig(s) Views not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s)		12.	
Sheet(s) Drawings sheets not an acceptable size. Fig(s) MARGINS. 37 CFR 1.84(g): Acceptable margins: Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) SIZE: A8 zize Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Shape of the reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) Lead lines missing. Fig(s) NUMBERING OF SHEETS OF DAWINGS. 37 CFR 1.			
Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable margins: MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Right (R) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Fig(s) Fig(s) Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Shumbers not labeled separately or properly. Fig(s) Fig	All drawing sheets not the same size.		Numbers and reference characters not plain and legible.
MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: B 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p)(1) Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at leas 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(a) Lead lines cross each other. Fig(s) Lead lines cross each other. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWINGS. 37 CFR 1.84(i) Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 15. NUMBERING OF VIEWS. 37 CFR 1.84(w) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.515 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast.			Fig(s)/, <,
Same direction as the view. 37 CFR 1.84(p)(1)			
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: A4 Size SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Sizes not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sizes and Right 1.5 cm Bottom 1.0 cm Sizes and Right 1.5 cm Sizes and Right	MARGINS: 37 CFR 1.84(g): Acceptable margins:	 	
SIZE: A4 Size Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Right (R) Right (R) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Fig(s) Fig(s) Scetional designation should be noted with Arabic or Roman numbers. Fig(s) SIZE: R 1/2 x 11 Margins not acceptable. Fig(s) Left (L) Figs Numbers, letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Figs Scetional designation should be noted with Arabic or Roman numbers. Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Figs Numbers, letters and reference characters must be at leas .32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Selects not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Solid black shading not used for color contrast. Fig(s) Solid black shading not used for color contrast. Fig(s)	Ton 2.5 cm. Left 2.5cm. Right 1.5 cm. Rottom 1.0 cm.	 +	
Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s) Top (T) Left (L) Right (R) Bottom (B) VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) SIZE: 8 1/2 x 11 Numbers, letters and reference characters must be at leas Numbers, letters and reference characters must be at leas Numbers, letters and reference characters must be at leas Numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas numbers, letters and reference characters must be at leas number and properties. Fig(s) 13. LEAD LINES, 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s) Corrections not number of regions of the property of			
SIZE: 8 1/2 x 11 Margins not acceptable. Fig(s)			
Margins not acceptable. Fig(s)		•	Numbers, letters and reference characters must be at least
Right (R) Bottom (B) VIEWS. 37 CFR 1.84(q) Lead lines cross each other. Fig(s) Sheets missing. Fig(s) Sheets not numbered consecutively, and in Arabic numers beginning with number 1. Sheet(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sourface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s)			.32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3)
VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines cross each other. Fig(s) — Lead lines cross each other. Shetts not numbered consecutively, and in Arabic numera beginning with number 1. Shee(s) — Views not numbered consecutively, and in Arabic numera beginning with number 1. Shee(s) — Lead lines cross each other. Fig(s) — Lead lines cross each other. Fig(s) — Corrections not made from prior PTO-948 dated 15. NUMBERING OF Steet(s) — Corrections on trade from prior PTO-948 dated 16. CORRECTIONS. 37 CFR 1.84(u) — Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.52 — Solid black shading not used for col			
REMINDER: Specification may require revision to correspond to drawing changes. Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines missing. Fig(s) Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Sheet(s) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Corrections. 37 CFR 1.84(u) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.		13.	
correspond to drawing changes. Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Fig(s) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Brackets needed to show figure as one entity. Sheets not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Views not numbered consecutively, and in Arabic numera beginning with number 1. Fig(s) Corrections not made from prior PTO-948 dated 17. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.			
Partial views. 37 CFR 1.84(h)(2) Brackets needed to show figure as one entity. Fig(s) Views not labeled separately or properly. Fig(s) Enlarged view not labeled separately or properly. Views not number 1. Shet(s) Fig(s) Enlarged view not labeled separately or properly. Fig(s) Solid Name Number 1. Shet(s) Views not number 1. Shet(s) Views not number 1. Fig(s) Enlarged view not number 1. Fig(s) Solid Name Number 1. Fig(s) Enlarged view not number 1. Fig(s) Solid Name Number 1. Fig(s) Enlarged view not number 1. Fi		14	
Brackets needed to show figure as one entity. Fig(s) Fig(s) Fig(s) Enlarged view not labeled separately or properly. Corrections not made from prior PTO-948 dated dated To DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Fig(s) Fig(s)		14.	
Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not labeled separately or properly. Fig(s) 25. Enlarged view not labeled separately or properly. Fig(s) 16. CORRECTIONS. 37 CFR 1.84(w) Fig(s) 26. Corrections not made from prior PTO-948 dated 27. DESIGN DRAWINGS. 37 CFR 1.152 Fig(s) 28. Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 50. Solid black shading not used for color contrast. Fig(s) 51. Sig(s)			beginning with number 1. Sheet(s)
Views not labeled separately or properly. Fig(s)		15.	NUMBERING OF VIEWS. 37 CFR 1.84(u)
Enlarged view not labeled separetely or properly. Fig(s) Corrections not made from prior PTO-948 SecTIONAL VIEWS. 37 CFR 1.84 (h)(3)	Views not labeled separately or properly.		Views not numbered consecutively, and in Arabic numeral
Fig(s) Corrections not made from prior PTO-948 dated			
SECTIONAL VIEWS. 37 CFR 1.84 (h)(3) Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s)		16.	
Hatching not indicated for sectional portions of an object. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not used for color contrast. Fig(s) Fig(s) Fig(s) Solid black shading not used for color contrast.			
Fig(s) Surface shading shown not appropriate. Fig(s) Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s)	SECTIONAL VIEWS. 37 CFR 1.84 (h)(3)	17	
Sectional designation should be noted with Arabic or Solid black shading not used for color contrast. Roman numbers. Fig(s) Fig(s)		. 17.	
Roman numbers. Fig(s) Fig(s)			
DMMENTS	-		
DMMENTS			
DMMENTS			
	DMMENTS		
	•		

DATE 1-11-00 TELEPHONE NO.

ATTACHMENT TO PAPER NO. ___

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities--37 CFR 1.85

File new drawings with the changes incorporated therein. The application number or the title of the invention, inventor's name, docket number (if any), and the name and telephone number of a person to call if the Office is unable to match the drawings to the proper application, should be placed on the back of each sheet of drawings in accordance with 37 CFR 1.84(c). Applicant may delay filing of the new drawings until receipt of the Notice of Allowability (PTOL-37). Extensions of time may be obtained under the provisions of 37 CFR 1.136. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Processing Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37). If a correction is determined to be unacceptable by the Office, applicant must arrange to have acceptable corrections resubmitted within the original three-month period to avoid the necessity of obtaining an extension of time and paying the extension fee. Therefore, applicant should file corrected drawings as soon a possible.

Failure to take corrective action within set (or extended) period will result in ABANDONMENT of the Application.

3. Corrections other than Informalities Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than informalities noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities -- 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein Identifying indicia, if provided, should include the title of the invention. inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened stannory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draitsperson. MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in ABANDONMENT of the application